

circulating Vaccine-derived Poliovirus*, 2000-2010

Country	Type	cVDPV											First case	Last case
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		
Nigeria	VDPV 2						1	21	68	63	153	9	2-Jul-05	21-Jun-10
Ethiopia	VDPV 3										1	5	27-Apr-09	17-May-10
DR Congo	VDPV 2									14	4	3	22-Mar-08	22-Apr-10
India	VDPV 2										15	1	14-Jun-09	18-Jan-10
Somalia	VDPV 2								1	4			29-Jun-08	24-Dec-09
Guinea***	VDPV 2										1			6-May-09
Ethiopia	VDPV 2									3	1		4-Oct-08	16-Feb-09
Myanmar	VDPV 1							1	4				9-Apr-06	6-Dec-07
Niger***	VDPV 2								2				28-May-06	3-Oct-06
Cambodia	VDPV 3						1	1					26-Nov-05	15-Jan-06
Indonesia	VDPV 1						46						9-Jun-05	26-Oct-05
Madagascar**	VDPV 2		1	4			3							13-Jul-05
China	VDPV 1					2							13-Jun-04	11-Nov-04
Philippines	VDPV 1		3										15-Mar-01	26-Jul-01
DOR/Haiti	VDPV 1	12	9										12-Jul-00	12-Jul-01

** Madagascar: two different outbreaks (2001/02 and 2005)

*** Niger 2006 and Guinea 2009 cVDPVs are linked to the Nigeria outbreak

* circulating Vaccine-derived poliovirus (cVDPV) is associated with 2 or more cases of AFP.

Cases with less than 10 nt genetically related to these outbreaks and cases of ambiguous Vaccine-derived Poliovirus (aVDPV) are not reported here. Figures exclude VDPV from non-AFP source. Figures may include different chains of transmission.

Data in WHO/HQ as of 06 Jul 2010